
**Parallel shank countersinks for angles
60, 90 and 120 degrees inclusive**

*Outils à chanfreiner à queue cylindrique, à angle au sommet de 60, 90
et 120 degrés*

STANDARDSISO.COM : Click to view the full PDF of ISO 3294:2016



STANDARDSISO.COM : Click to view the full PDF of ISO 3294:2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Dimensions	1
Annex A (informative) Relationship between designations in this International Standard and ISO 13399	3
Bibliography	4

STANDARDSISO.COM : Click to view the full PDF of ISO 3294:2016

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

The committee responsible for this document is ISO/TC 29, *Small tools*, Subcommittee SC 9, *Tools with defined cutting edges, cutting items*.

This second edition cancels and replaces the first edition (ISO 3294:1975), of which it constitutes a minor revision.

Parallel shank countersinks for angles 60°, 90° and 120° inclusive

1 Scope

This International Standard specifies the dimensions of parallel shank countersinks for angles 60°, 90° and 120° inclusive.

It specifies dimensions in metric units only, these being regarded as the only recommended dimensions in the future, for countersinks with cutting diameters in the range 8 mm to 25 mm.


The dimensions apply only to tools made from high-speed steel. However, if the method of production allows, the shanks may be manufactured from a suitable alternative material, such as a carbon steel.

Unless otherwise indicated, the countersinks will be right-hand cutting.

Morse taper shank countersinks are the subject of ISO 3293.

2 Dimensions

See [Figure 1](#) and [Table 1](#).



Key

α = 60°, 90° or 120° inclusive (tolerance: ${}^0_{-1^\circ}$)

Figure 1

Table 1

Dimensions in millimetres

Nominal size d_1	Small diameter d_2^a	Overall length		Body length		Shank diameter d_3 h9
		l_1 $\alpha = 60^\circ$	$\alpha = 90^\circ$ and 120°	l_2 $\alpha = 60^\circ$	$\alpha = 90^\circ$ and 120°	
8	1,6	48	44	16	12	8
10	2	50	46	18	14	8
12,5	2,5	52	48	20	16	8
16	3,2	60	56	24	20	10
20	4	64	60	28	24	10
25	7	69	65	33	29	10

^a Front end design optional.

Annex A (informative)

Relationship between designations in this International Standard and ISO 13399

A.1 Relationship between designations

For the relationship between the designations in this International Standard and preferred symbols according to ISO 13399, see [Table A.1](#).

Table A.1 — Relationship between designations in this International Standard and ISO 13399

Symbol in ISO 3294 (this International Standard)	Reference in ISO 3294 (this International Standard)	Property name in the ISO 13399 series	Symbol in the ISO 13399 series	Reference in the ISO 13399 series
d_1	Clause 2 , Figure 1 and Table 1	Cutting diameter	DC	ISO/TS 13399-3 BSU 71D084653E57F
d_2	Clause 2 , Figure 1 and Table 1	Interference cutting diameter	DCINTF	ISO/TS 13399-3 BSU 726E2FCC0EC78
d_3	Clause 2 , Figure 1 and Table 1	Connection diameter machine side	DCONMS	ISO/TS 13399-3 BSU 71EBDBF5060E6
l_1	Clause 2 , Figure 1 and Table 1	Overall length	OAL	ISO/TS 13399-3 BSU 71D078EB7C086
l_2	Clause 2 , Figure 1 and Table 1	Head length	LH	ISO/TS 13399-3 BSU 71D07574A61E8
α	Clause 2 , Figure 1 and Table 1	Point angle	SIG	ISO/TS 13399-3 BSU 71DCCC4FEF366

Bibliography

- [1] ISO 3293, *Morse taper shank countersinks for angles 60 degrees, 90 degrees and 120 degrees inclusive*
- [2] ISO 13399 (all parts), *Cutting tool data representation and exchange*

STANDARDSISO.COM : Click to view the full PDF of ISO 3294:2016