NOTICE

THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9576D, AMENDMENT 1. NOTICE 1 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9576D, AMENDMENT 1, NOTICE 1. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND SAE, OR SAE, COM. Cick to view the full PUT of 25951 ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS SAE TECHNICAL DOCUMENT.

> THIRD ANGLE PROJECTION SSUED

PREPARED BY SAE COMMITTEE E-25

AEROSPACE STANDARD

BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .3125-24 UNJF-3A

AS9576

SHEET 1 OF 3

Copyright 1999 Society of Automotive Engineers, Inc.

400 Commonwealth Drive, Warrendale, PA 15096-0001

The Engineering Society
For Advancing Mobility
Land Sea Air and Space
INTERNATIONAL

TO PLACE A DOCUMENT ORDER:

All rights reserved. QUESTIONS REGARDING THIS DOCUMENT:

(724) 772-8510 (724) 776-4970 FAX: (724) 776-0243 FAX: (724) 776-0790 SAE WEB ADDRESS:

http://www.sae.org

PROCUREMENT SPECIFICATION: NONE

Printed in the U.S.A




TABLE 1 - DASH NUMBERS AND DIMENSIONS

DASH No.	L	к	APPROX WEIGHT LB/100	DASH No.	6	К	APPROX WEIGHT LB/100	DASH No.	L	к	APPROX WEIGHT LB/100
-04	.500	.088108	2.06	-24	750	.815875	4.33	-44	4.250	3.315-3.375	8.86
-05	.562	.088-,108	2.17	-25	1.875	.940-1.000	4.55	-45	4.375	3.440-3.500	9.08
-06	.625	.088108	2.28	26	2.000	1.065-1.125	4.77	-46	4.500	3.565-3.625	9.30
-07	.688	.088108	2.39	-27	2.125	1.190-1.250	5.00	-47	4.625	3.690-3.750	9.52
-08	.750	.088108	2.51	-28	2.250	1.315-1.375	5.23	-48	4.750	3.815-3.875	9.74
-09	.812	.088108	2.62	-29	2.375	1.440-1.500	5.45	-49	4.875	3.940-4.000	9.95
-10	.875	.088108	2.73	-30	2.500	1.565-1.625	5.67	-50	5.000	4.065-4.125	10.17
-11	.938	.088108	2.85	-31	2.625	1.690-1.750	5.90	-51	5.125	4.190-4.250	10.40
-12	1.000	.088125	2.96	-32	2.750	1.815-1.875	6.13	-52	5.250	4.315-4.375	10.63
-13	1.062	.128188	3.07	-33	2.875	1.940-2.000	6.36	-53	5.375	4.440-4.500	10.86
-14	1.125	.190250	3.19	-34	3.000	2.065-2.125	6.58	-54	5.500	4.565-4.625	11.10
-15	1.188	.252 .312	3.30	-35	3.125	2.190-2.250	6.80	-55	5.625	4.690-4.750	11.33
-16	1.250	.315 .375	3.41	-36	3.250	2.315-2.375	7.03	-56	5.750	4.815-4.875	11.56
-17	1.312	.378438	3.52	-37	3.375	2.440-2.500	7.27	-57	5.875	4.940-5.000	11.78
-18	1.375	440500	3.64	-38	3.500	2.565-2.625	7.50	-58	6.000	5.065-5.125	12.00
-19	1.438	.502562	3.75	-39	3.625	2.690-2.750	7.73	-59	_ 1.812	.878938	4.44
-20	1.500	.565625	3.87	-40	3.750	2.815-2.875	7.95	-60 _	- 1.938	1.002-1.062	4.66
-21	1.562	.628688	3.98	-41	3.875	2.940-3.000	8.17				
-22	1.625	.690750	4.10	-42	4.000	3.065-3.125	8.40				
-23	1.688	.752812	4.22	-43	4.125	3.190-3.250	8.63				