



UL 588

STANDARD FOR SAFETY

Seasonal and Holiday Decorative
Products

ULNORM.COM : Click to view the full PDF of UL 588 2023

ULNORM.COM : Click to view the full PDF of UL 588 2023

UL Standard for Safety for Seasonal and Holiday Decorative Products, UL 588

Nineteenth Edition, Dated October 26, 2015

Summary of Topics

This revision of ANSI/UL 588 dated September 8, 2023 clarifies requirements for series-connected lighting strings employing shrink tubing; [22.2.1.2](#) – [22.2.1.2C](#) and [22.2.2.3](#).

Text that has been changed in any manner or impacted by ULSE's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated March 24, 2023 and August 4, 2023.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of ULSE Inc. (ULSE).

ULSE provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will ULSE be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if ULSE or an authorized ULSE representative has been advised of the possibility of such damage. In no event shall ULSE's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold ULSE harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 588 2023

OCTOBER 26, 2015
(Title Page Reprinted: September 8, 2023)



ANSI/UL 588-2023

1

UL 588

Standard for Seasonal and Holiday Decorative Products

The First through Seventeenth Editions were titled Christmas-Tree and Decorative-Lighting Outfits.

Thirteenth Edition – November, 1974
Fourteenth Edition – April, 1980
Fifteenth Edition – January, 1986
Sixteenth Edition – October, 1990
Seventeenth Edition – January, 1996
Eighteenth Edition – August, 2000

Nineteenth Edition

October 26, 2015

This ANSI/UL Standard for Safety consists of the Nineteenth Edition including revisions through September 8, 2023.

The most recent designation of ANSI/UL 588 as an American National Standard (ANSI) occurred on September 8, 2023. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to ULSE at any time. Proposals should be submitted via a Proposal Request in the Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

Our Standards for Safety are copyrighted by ULSE Inc. Neither a printed nor electronic copy of a Standard should be altered in any way. All of our Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of ULSE Inc.

COPYRIGHT © 2023 ULSE INC.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 588 2023

CONTENTS

INTRODUCTION

1 Scope 13
 2 Glossary..... 13
 3 Components 18
 4 Units of Measurement 18
 5 References..... 18

CONSTRUCTION

ALL PRODUCTS

6 General 18
 7 Overcurrent Protection 19
 8 Materials 34
 9 Mechanical Assembly..... 34
 10 Enclosures..... 37
 10.1 General..... 37
 10.2 Metallic enclosures 37
 10.3 Polymeric enclosures..... 37
 11 Enclosure Openings 39
 12 Accessibility of Live Parts..... 41
 13 Supply Connections 41
 13.1 General..... 41
 13.2 Cords..... 42
 13.3 Wiring devices..... 44
 13.4 Polarization 47
 13.5 Grounding..... 49
 14 Terminals and Conductive Parts 49
 15 Strain Relief..... 49
 16 Spacings 50
 17 Splices 51
 18 Class 2 Circuits 51
 19 Switches..... 52
 20 Printed Wiring Boards..... 52
 21 Bushings 52
 22 Lampholders..... 53
 22.1 General..... 53
 22.2 Series-connected 53
 22.3 Parallel-connected..... 56
 23 Lamps 56
 24 Lamping 56
 25 Fuseholders and Fused Attachment Plugs 57
 26 Devices Employing Insulation-Piercing Terminals 57
 27 Outdoor-Use Products 57

SERIES-CONNECTED STRINGS

28 General 59

PARALLEL-CONNECTED STRINGS

| | | |
|---------------------------------------|---|----|
| 29 | General | 60 |
| DECORATIVE LIGHTING HARNESSSES | | |
| 30 | General | 60 |
| DECORATIVE OUTFITS | | |
| 31 | General | 61 |
| 32 | Motorized Devices | 61 |
| 33 | Light Sculptures | 62 |
| DIRECT PLUG-IN UNITS | | |
| 34 | General | 62 |
| ORNAMENTS | | |
| 35 | General | 67 |
| BATTERY OPERATED PRODUCTS | | |
| 36 | General | 68 |
| PERFORMANCE | | |
| GENERAL | | |
| 37 | Cheesecloth Indicators | 69 |
| 38 | Test Sequences | 69 |
| ALL PRODUCTS EXCEPT ORNAMENTS | | |
| 39 | General | 69 |
| 40 | Leakage Current Test | 70 |
| 41 | Leakage Current Following Humidity Conditioning | 72 |
| 42 | Input Test | 72 |
| 43 | Temperature Test | 72 |
| 44 | Mounting Position Test | 77 |
| 45 | Dielectric Voltage-Withstand Test | 77 |
| 46 | Strain Relief Test | 78 |
| 47 | Wire Push-Back Relief Test | 79 |
| 48 | Abnormal Operation Test | 79 |
| 49 | Component Power Measurement Test | 81 |
| 50 | Downward Burning Rate Test | 83 |
| 51 | Conductivity of Decorative Parts Test | 83 |
| 52 | Routine Flexing Test | 83 |
| 53 | Slip-Ring Endurance Test | 84 |
| 54 | Temperature Tests for Devices Employing Insulation-Piercing Terminals | 84 |
| | 54.1 General | 84 |
| | 54.2 Temperature test | 85 |
| | 54.3 Thermal cycling | 85 |
| | 54.4 Strain relief/terminal temperature | 85 |
| 55 | Abnormal Tests for Controllers | 86 |

| | | |
|------|---------------------------------------|----|
| 55.1 | General..... | 86 |
| 55.2 | Abnormal operation test | 86 |
| 55.3 | Overload test..... | 86 |
| 56 | Tests for Permanence of Cord Tag..... | 87 |
| 56.1 | General..... | 87 |
| 56.2 | Test conditions | 87 |
| 56.3 | Test method | 88 |

PRODUCTS EMPLOYING POLYMERIC ENCLOSURES

| | | |
|----|--|----|
| 57 | General | 88 |
| 58 | Enclosure Mold Stress Relief Test..... | 88 |
| 59 | Drop Test..... | 89 |
| 60 | Impact Test | 90 |
| 61 | Cold Impact Test | 92 |
| 62 | Resistance to Crushing Test..... | 93 |
| 63 | Adhesive Test | 93 |

PRODUCTS EMPLOYING OVERCURRENT PROTECTIVE DEVICES

| | | |
|----|----------------------------------|----|
| 64 | General | 93 |
| 65 | Calibration Test | 93 |
| 66 | Fault Current Test..... | 94 |
| 67 | Fuseholder Temperature Test..... | 94 |
| 68 | Fuseholder Crush Test..... | 95 |
| 69 | Fuseholder Cover Test..... | 96 |

PRODUCTS EMPLOYING CORD-CONNECTED WIRING DEVICES OR POWER INLETS

| | | |
|----|--|----|
| 70 | General | 96 |
| 71 | Strain Relief Test | 96 |
| 72 | Reliability of Conductor Connections Test..... | 97 |
| 73 | Security of Blades Test | 97 |
| 74 | Security of Input Contacts Test | 97 |
| 75 | Security of Insulation Test | 98 |
| 76 | Accessibility Test..... | 98 |

PRODUCTS EMPLOYING SERIES-CONNECTED LAMPHOLDERS

| | | |
|------|--|-----|
| 77 | General | 98 |
| 78 | Oven Test | 98 |
| 79 | Lampholder Strain Relief Tests | 99 |
| 79.1 | Lead pull test..... | 99 |
| 79.2 | Secureness of leads test | 100 |
| 80 | Secureness of Lampholder Contacts Test | 100 |
| 81 | Lampholder Millivolt Drop Test..... | 101 |
| 82 | Rope Strength Test..... | 101 |
| 83 | Crush Test | 102 |
| 84 | Cascade Lamp Burnout Simulation Test..... | 102 |

PRODUCTS PROVIDED WITH SELF-SHORTING CONTACTS

| | | |
|----|--------------------------------------|-----|
| 85 | Cascading Lamp Temperature Test..... | 104 |
| 86 | Cycling Test | 104 |
| 87 | Input Test..... | 105 |

PRODUCTS INTENDED FOR OUTDOOR USE

| | | |
|----|--|-----|
| 88 | General | 105 |
| 89 | Rain Test | 105 |
| 90 | Rain Test For Series-Connected Lighting Strings | 108 |
| 91 | Standing Water Immersion Test..... | 109 |
| 92 | Gasket Test | 109 |
| 93 | Gasket Adhesion Test..... | 110 |
| 94 | Ultraviolet (UV) Light Exposure and Water Immersion Tests..... | 110 |
| | 94.1 General..... | 110 |
| | 94.2 UV conditioning | 110 |
| | 94.3 Water immersion | 111 |

DECORATIVE LIGHTING STRINGS

| | | |
|----|---|-----|
| 95 | Flexing Test | 111 |
| 96 | Decorative Lighting String Intended for Use on a Patio Umbrella | 114 |
| 97 | Temperature Test After Flexing | 114 |

TREE STANDS

| | | |
|-----|----------------------|-----|
| 98 | General | 115 |
| 99 | Stability Test | 115 |
| 100 | Overflow Test | 115 |

DIRECT PLUG-IN UNITS

| | | |
|-----|---------------|-----|
| 101 | General | 116 |
|-----|---------------|-----|

ELECTRONICALLY-OPERATED ORNAMENTS

| | | |
|-----|--|-----|
| 102 | General | 116 |
| 103 | Leakage Current Test | 116 |
| 104 | Temperature Test at 200 mA (Electronically-Operated) | 116 |
| 105 | Dielectric Voltage-Withstand Test..... | 116 |
| 106 | Enclosure Mold Stress Relief Test..... | 117 |
| 107 | Strain Relief Test | 117 |
| 108 | Drop Test..... | 117 |
| 109 | High Current Abnormal Test | 118 |
| 110 | High Current Inrush Test..... | 118 |
| 111 | Series Cascade Burnout Test..... | 119 |
| 112 | Abnormal Operation Test..... | 119 |
| 113 | Voltage Drop Test | 120 |

NON-ELECTRONICALLY-OPERATED ORNAMENTS

| | | |
|-----|--|-----|
| 114 | General..... | 120 |
| 115 | Temperature Test at 200 mA (Non-Electronically-Operated) | 121 |
| 116 | Cascade Lamp Burnout Simulation Test | 121 |

MANUFACTURING AND PRODUCTION TESTS

| | | |
|-----|--|-----|
| 117 | Production-Line Dielectric Voltage-Withstand Test..... | 121 |
| 118 | Lamping Test..... | 122 |

| | | |
|-----|------------------------------------|-----|
| 119 | Polarization Continuity Test | 122 |
| 120 | Grounding Continuity Test | 122 |

RATINGS

| | | |
|-----|---------------|-----|
| 121 | Details | 122 |
|-----|---------------|-----|

MARKINGS

| | | |
|-----|---|-----|
| 122 | General | 123 |
| 123 | Product Markings | 124 |
| 124 | Product/Cord Tag Markings | 124 |
| | 124.1 General..... | 124 |
| 125 | Cord Tag Markings | 125 |
| | 125.1 General..... | 125 |
| | 125.2 Products employing replaceable fuses..... | 126 |
| | 125.3 Products employing lamps..... | 126 |
| | 125.4 Products employing load fittings..... | 128 |
| | 125.5 Products without load fittings | 130 |
| | 125.6 Decorative-lighting strings | 130 |
| | 125.7 Decorative outfits | 130 |
| | 125.8 Tree stands | 130 |
| | 125.9 Ornaments | 130 |
| | 125.10 Products employing batteries | 130 |
| | 125.11 Battery supply polarity identification | 131 |
| | 125.12 Bubble lights..... | 131 |
| | 125.13 Class 2 circuits | 131 |
| 126 | Carton/Stuffer Sheet/Product/Cord Tag Markings..... | 131 |
| | 126.1 General..... | 131 |
| | 126.2 Products employing power inlets..... | 131 |
| | 126.3 Products employing skeleton-type lampholders..... | 132 |
| | 126.4 Decorative-lighting strings | 132 |
| | 126.5 Ornaments | 132 |
| 127 | Carton Markings..... | 132 |
| | 127.1 General..... | 132 |

INSTRUCTION MANUAL

| | | |
|-----|--|-----|
| 128 | General | 133 |
| 129 | Instructions Pertaining to the Risk of Fire, Electric Shock, or Injury to Persons..... | 133 |
| | 129.1 General..... | 133 |
| | 129.2 Decorative-lighting strings, decorative outfits, and ornaments..... | 134 |
| 130 | Use and Care Instructions | 135 |
| 131 | User Servicing Instructions..... | 135 |

SUPPLEMENT SA – SEASONAL-LIGHTING LAMPS

INTRODUCTION

| | | |
|-----|-------------|-----|
| SA1 | Scope | 139 |
|-----|-------------|-----|

CONSTRUCTION

| | | |
|-----|-----------------------|-----|
| SA2 | Screw-Base Lamps..... | 139 |
| | SA2.1 General..... | 139 |

| | | |
|-------|--|-----|
| SA2.2 | Lamps intended for parallel connection | 142 |
| SA3 | Bubble Lights | 142 |
| SA4 | LED Lamps | 143 |
| SA5 | Outdoor Use LED Lamps | 143 |

PERFORMANCE

LAMPS INTENDED FOR SERIES CONNECTION

| | | |
|-----|--------------------------------|-----|
| SA6 | Maximum Lamp Wattage Test..... | 143 |
|-----|--------------------------------|-----|

LAMPS INTENDED FOR PARALLEL CONNECTION

| | | |
|-----|--|-----|
| SA7 | Lamp Screw Base Conformity Test..... | 145 |
| SA8 | Envelope-to-Base Securement Test | 146 |
| SA9 | Lamp-Envelope Temperature Test..... | 146 |

BUBBLE LIGHTS

| | | |
|------|---------------------------|-----|
| SA10 | General..... | 147 |
| SA11 | Identification Test | 147 |

GLASS LED LAMPS

| | | |
|-------|--------------|-----|
| SA11A | General..... | 147 |
|-------|--------------|-----|

PRODUCTION LINE TESTS

| | | |
|------|--------------|-----|
| SA12 | General..... | 147 |
|------|--------------|-----|

MARKINGS

| | | |
|------|--------------|-----|
| SA13 | General..... | 147 |
|------|--------------|-----|

SUPPLEMENT SB – SEASONAL-LIGHTING LAMP HOLDERS

INTRODUCTION

| | | |
|-----|----------------|-----|
| SB1 | Scope | 149 |
| SB2 | Glossary | 149 |

CONSTRUCTION

| | | |
|-----|-------------------------------------|-----|
| SB3 | General..... | 149 |
| SB4 | Depth of Lamp Base Cavity | 151 |
| SB5 | Body Material | 151 |
| SB6 | Metal Screw Shells | 152 |
| SB7 | Skeleton-Type Lampholders | 152 |
| SB8 | Insulation-Piercing Terminals | 153 |
| SB9 | Outdoor-Use Lampholders | 153 |

PERFORMANCE

ALL LAMP HOLDERS

| | | |
|------|--|-----|
| SB10 | General..... | 153 |
| SB11 | Dielectric Voltage-Withstand Test | 154 |
| SB12 | Mold Stress Relief Test..... | 154 |
| SB13 | Screwthread Conformity Test..... | 154 |
| SB14 | Mechanical Strength of Lampholder Threads Tests..... | 157 |
| | SB14.1 Pull test | 157 |
| | SB14.2 Torque test..... | 157 |
| SB15 | Secureness of Leads Test | 158 |
| SB16 | Lead Pull Test..... | 158 |
| SB17 | Crush Test..... | 159 |
| SB18 | Temperature Tests for Seasonal Lampholders with Insulation-Piercing Terminals..... | 160 |
| | SB18.1 General | 160 |
| | SB18.2 Temperature test | 161 |
| | SB18.3 Thermal cycling..... | 161 |
| | SB18.4 Strain relief/terminal temperature..... | 161 |

OUTDOOR-USE LAMP HOLDERS

| | | |
|------|---|-----|
| SB19 | General..... | 162 |
| SB20 | Rain Test..... | 162 |
| SB21 | Leakage Current Test..... | 165 |
| SB22 | Leakage Current Following Humidity Conditioning..... | 166 |
| SB23 | Ultraviolet (UV) Light Exposure and Water Immersion Tests | 167 |
| | SB23.1 General | 167 |
| | SB23.2 UV conditioning..... | 167 |
| | SB23.3 Water immersion | 168 |

MARKINGS

| | | |
|------|--------------|-----|
| SB24 | General..... | 168 |
|------|--------------|-----|

SUPPLEMENT SC – IN-LINE FUSE HOLDERS WITH INSULATION-PIERCING TERMINALS FOR SEASONAL PRODUCTS

INTRODUCTION

| | | |
|-----|------------|-----|
| SC1 | Scope..... | 169 |
|-----|------------|-----|

CONSTRUCTION

| | | |
|-----|---------------|-----|
| SC2 | General | 169 |
|-----|---------------|-----|

PERFORMANCE

| | | |
|------|--|-----|
| SC3 | General | 169 |
| SC4 | Temperature Tests for Devices Employing Insulation-Piercing Terminals..... | 169 |
| SC5 | Drop Test..... | 169 |
| SC6 | Temperature Test..... | 169 |
| SC7 | Dielectric Voltage-Withstand Test..... | 170 |
| SC8 | Calibration Test | 170 |
| SC9 | Fault Current Test..... | 170 |
| SC10 | Dielectric Voltage-Withstand Test (Repeated) | 170 |
| SC11 | Crush Test..... | 170 |
| SC12 | Abnormal Pin Protrusion Test | 170 |
| SC13 | Flexing Test..... | 171 |

| | | |
|------|--|-----|
| SC14 | Dielectric Voltage-Withstand Test (Repeated) | 171 |
| SC15 | Temperature Test After Flexing | 171 |
| SC16 | Opening Force Test | 172 |
| SC17 | Strain Relief Test | 172 |
| SC18 | Reliability of Conductor Connections Test | 172 |
| SC19 | Security of Insulation Test..... | 172 |
| SC20 | Fuseholder Cover Test | 172 |
| SC21 | Outdoor-Use In-Line Fuseholders | 172 |
| SC22 | Tests for Permanence of Cord Tag | 172 |

MANUFACTURING AND PRODUCTION-LINE TESTS

| | | |
|------|------------------------------------|-----|
| SC23 | Opening Force Test | 173 |
| SC24 | Open/Close Test..... | 173 |
| SC25 | Abnormal Pin Protrusion Test | 173 |

MARKINGS

| | | |
|------|--------------|-----|
| SC26 | General..... | 173 |
|------|--------------|-----|

SUPPLEMENT SD – STRING LIGHTS FOR ALL-YEAR USE

INTRODUCTION

| | | |
|-----|------------------|-----|
| SD1 | Scope..... | 175 |
| SD2 | Definitions..... | 175 |

CONSTRUCTION

| | | |
|-----|-----------------------------|-----|
| SD3 | General | 175 |
| SD4 | Overcurrent Protection..... | 175 |
| SD5 | Supply Connections..... | 175 |
| SD6 | General Requirements..... | 176 |

PERFORMANCE

| | | |
|------|---|-----|
| SD7 | General | 177 |
| SD8 | Strain Relief Test | 177 |
| SD9 | Flexing Test..... | 177 |
| SD10 | Conditioning Test Prior to Rain Test..... | 177 |
| SD11 | Abnormal Operation Test..... | 177 |

MARKINGS

| | | |
|------|--------------|-----|
| SD12 | General..... | 178 |
|------|--------------|-----|

INSTRUCTION MANUAL

| | | |
|------|--------------|-----|
| SD13 | General..... | 178 |
|------|--------------|-----|

CARTON MARKINGS

| | | |
|------|--------------|-----|
| SD14 | General..... | 179 |
|------|--------------|-----|

SUPPLEMENT SE – COMMERCIAL USE LIGHTING STRINGERS AND ASSEMBLIES

INTRODUCTION

SE1 Scope 181
 SE2 Definitions 181

CONSTRUCTION

SE3 General 181
 SE4 Supply Connections 182

PERFORMANCE

SE5 General 182
 SE6 Strain Relief Temperature Test for Commercial Seasonal Lighting Assemblies 182

MARKINGS

SE7 General 183
 SE8 Cord Tag Markings 183
 SE9 Carton Markings 184

INSTRUCTION MANUAL

SE10 General 184

APPENDIX A

Standards for Components 186

ULNORM.COM : Click to view the full PDF of UL 588-2023

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 588 2023

INTRODUCTION

1 Scope

1.1 These requirements cover temporary-use, seasonal decorative-lighting products and accessories with a maximum input voltage rating of 120 V to be used in accordance with the National Electrical Code, ANSI/NFPA 70. Temporary-use is considered to be a period of installation and use not exceeding 90 days. This Standard also covers factory-assembled parallel-connected string lights intended for year round use as described in Supplement [SD](#).

1.2 These requirements cover factory-assembled seasonal lighting strings with push-in, midget-screw, or miniature-screw lampholders or non-replaceable lamps connected in series for across-the-line use or with candelabra- or intermediate-screw lampholders connected in parallel for direct-connection use. These requirements also cover factory-assembled seasonal decorative outfits such as wreaths, stars, light sculptures, crosses, candles or candle sets without lamp shades, products in the shape of, or in resemblance to, Christmas trees with simulated branches and needles, products in the shape of, or in resemblance to, wreaths provided with simulated branches and needles, blow-molded figures or objects, animated figures, tree tops, controllers, tree stands, electric tree poles, and motorized decorative displays. These requirements cover products which are portable and not permanently connected to a power source.

1.3 These requirements additionally cover ornaments which are provided with an adapter for connection to a push-in lampholder and are intended to replace a push-in lamp in a series-connected decorative-lighting string or decorative outfit.

1.4 These requirements do not cover strings employing lampholders larger than intermediate-screw, non-seasonal lighting, non-seasonal products, permanently connected products, non-decorative lighting intended for illumination only, cord sets, or temporary power taps. These requirements also do not cover nightlights which are covered under the Standard for Direct Plug-In Nightlights, UL 1786, or flexible lighting products that are not part of a decorative outfit which are covered under the Standard for Flexible Lighting Products, UL 2388.

1.5 These requirements do not cover portable electric lamps intended for general illumination with a seasonal decoration and a typical lamp shade construction open at the top and bottom, which are covered under the Standard for Portable Electric Luminaires, UL 153.

1.6 Christmas trees exceeding 30 in (762 mm) in height but not exceeding 12 ft (3.7 m) in height, as measured from the top of the tree to the bottom of the base of the tree and provided with simulated branches and needles, products in the shape of, or in resemblance to, a wreath exceeding 48 in (1219 mm) in outer diameter and provided with simulated branches and needles, or other similar seasonal-use decorative outfits shall additionally be investigated to the Outline of Investigation for Fire Tests of Pre-Lit Artificial Seasonal Use Trees and Other Seasonal Decorative Items, UL 2358.


2 Glossary

2.1 For the purposes of this standard, the following definitions apply.

2.2 ATTACHMENT PLUG – A male contact device, which may be provided with integral overcurrent protection, for the temporary connection of a flexible cord or cable to a receptacle, cord connector, or other outlet device. The male screw of a lamp base would additionally be considered as meeting this definition when used for the connection. See [Figure 2.1](#).

Figure 2.1

Example of a cord set or detachable power-supply cord



2.3 BUBBLE LIGHT – A light assembly consisting of a liquid filled container assembled to a housing which contains a lamp. The lamp is used to heat and brighten the liquid producing an illuminated bubbling effect.

2.4 CLASS 2 CIRCUIT – A circuit powered from the output of a Class 2 transformer or a Class 2 power unit. See [18.1](#).

2.5 CONTROLLER – A product designed to electronically or electromechanically vary the power to or the on/off cycle of the seasonal decorative lighting product or products which it is intended to control. A controller may additionally provide sound effects. A controller may be a separate unit or an integral part of a string or decorative outfit.

2.6 CORD CONNECTOR – A female contact device which is part of a cord set, string, or detachable power-supply cord for connection to a male contact device such as an attachment plug, current tap, or power inlet. See [Figure 2.1](#).

2.7 CORD SET – A length of flexible cord assembled with an attachment plug or current tap as a line fitting and a cord connector as a load fitting. A cord set is sometimes referred to as an extension cord. See [1.4](#).

2.8 CURRENT TAP – A male and female contact device that, when connected to an outlet receptacle, provides multiple load fittings. A load fitting may consist of a slot configuration and provision for the connection of a flexible cord. A current tap may be provided with integral overcurrent protection. See [13.3.4](#).

2.9 DECORATIVE LIGHTING HARNESS – A factory-assembled lighting assembly employing candelabra-, intermediate-, or medium-screw lampholders connected in parallel across the line and neutral blades of the attachment plug or current tap. A decorative lighting harness is employed in a decorative outfit and it is provided with overcurrent protection.

2.10 DECORATIVE OUTFIT – A factory-assembled, electrically-powered unit providing a seasonal theme such as a wreath, star, light sculpture, cross, candle or candle set without lamp shades, a product in the shape of, or in resemblance to, a Christmas tree not exceeding 12 ft (3.7 m) in height as measured from the top of the tree to the bottom of the base of the tree with simulated branches and needles, products in the shape of, or in resemblance to, a wreath provided with simulated branches and needles, a blow-molded figure or object, such as a pumpkin, a snowman, or a tree, an animated figure, a tree top, a tree stand, and a motorized decorative display having illumination or other decorative effects. It is provided with overcurrent protection and a means for attachment to an electrical outlet. It may be provided with either a lighting string as part of the illumination of the decorative outfit, or with a controller, or both. A lighting string or lighting harness provided with decorative covers over the lamps is considered as a decorative outfit.

2.11 DIRECT PLUG-IN UNIT – A power unit which employs a blade assembly on its enclosure for connection to the branch circuit and a means for connection to a seasonal lighting product. The unit may employ a transformer if the seasonal product requires a low-voltage supply source. A controller may be a direct plug-in unit.

2.12 ENCLOSURE – Any surface or surrounding structure that reduces the likelihood of access to any or all parts of the product that may otherwise present a risk of electric shock or injury to persons and reduces the likelihood of propagation of flame initiated by electrical disturbances occurring within. See [10.1.1](#) and [12.1](#).

2.13 FUSEHOLDER – A device which holds an overcurrent-protective fuse.

2.14 LAMP, BALLAST – A series-connected lamp used in conjunction with an individual-flashing lamp to limit the current flow to less than 0.6 A if all individual-flashing lamps were in their shorted state. See [28.3](#) and [28.4](#).

2.15 LAMP, CANDELABRA-BASE (E12) – A lamp employing a screw base approximately 0.47 inches (12 mm) in diameter. An E12 lamp is the ANSI designation for a candelabra-base lamp.

2.16 LAMP, FLASHING – A series- or parallel-connected lamp that automatically cycles on and off by means of a bimetallic strip connected in series with the filament. For series-connected strings, the flashing lamp causes all lamps connected in series with it to flash. For parallel-connected strings, only the flashing lamp is intended to flash.

2.17 LAMP, INDIVIDUAL-FLASHING – A series-connected lamp that automatically cycles on and off by means of a bimetallic strip connected in parallel with the filament. The cycling of the bimetallic strip causes only the individual-flashing lamp to flash by momentarily placing a short across the filament to turn the lamp on and off. An individual-flashing lamp is intended to be used in combination with a ballast lamp unless used in a light string whose construction is described in the Exception to [28.3](#). See [28.3](#) and [28.4](#).

2.18 LAMP, INTERMEDIATE-BASE (E17) – A lamp employing a screw base approximately 0.67 inches (17 mm) in diameter. An E17 lamp is the ANSI designation for an intermediate-base lamp.

2.19 LAMP, MEDIUM-BASE (E26) – A lamp employing a screw base approximately 1.02 inches (26 mm) in diameter. An E26 lamp is the ANSI designation for a medium-base lamp.

2.20 LAMP, MIDGET-BASE (E5) – A lamp employing a screw base approximately 0.20 inches (5 mm) in diameter. An E5 lamp is the ANSI designation for a midget-base lamp.

2.21 LAMP, MINIATURE-BASE (E10) – A lamp employing a screw base approximately 0.39 inches (10 mm) in diameter. An E10 lamp is the ANSI designation for a miniature-base lamp.

2.22 LAMP, PUSH-IN – A low-voltage lamp, intended for series connection, with a glass envelope provided with wire leads for electrical connection to the lampholder. The glass envelope is provided with an adapter which separates the leads and secures the entire assembly into the lampholder by push-in friction fit. The adapter may be provided with a positive latching mechanism.

2.23 LAMP, PUSH-IN LED – A light emitting diode (LED), intended for series connection, provided in an encapsulating enclosure with wire leads for electrical connection to the lampholder. The enclosure is provided with an adapter which separates the leads and secures the entire assembly into the lampholder by push-in friction fit. The adapter may be provided with a positive latching mechanism.

2.24 LAMP, SCREW-BASE (EDISON-SCREW) – A lamp provided with an Edison-screw base for electrical and mechanical connection to the lampholder.

2.25 LAMPHOLDER, CANDELABRA-SCREW (E12) – A screw-type lampholder which accepts a candelabra-base (E12) lamp. An E12 lampholder is the ANSI designation for a candelabra-screw lampholder.

2.26 LAMPHOLDER, INTERMEDIATE-SCREW (E17) – A screw-type lampholder which accepts an intermediate-base (E17) lamp. An E17 lampholder is the ANSI designation for an intermediate-screw lampholder.

2.27 LAMPHOLDER, MEDIUM-SCREW (E26) – A screw-type lampholder which accepts a medium-base (E26) lamp. An E26 lampholder is the ANSI designation for a medium-screw lampholder.

2.28 LAMPHOLDER, MIDGET-SCREW (E5) – A screw-type lampholder which accepts a midget-base (E5) lamp. An E5 lampholder is the ANSI designation for a midget-screw lampholder.

2.29 LAMPHOLDER, MINIATURE-SCREW (E10) – A screw-type lampholder which accepts a miniature-base (E10) lamp. An E10 lampholder is the ANSI designation for a miniature-screw lampholder.

2.30 LAMPHOLDER, SEASONAL LIGHTING – A lampholder that is restricted for use with seasonal-lighting strings and decorative-lighting outfits and which, by its construction and intended application, is not suitable for general use.

2.31 LAMPHOLDER, SKELETON-TYPE – An Edison-screw lampholder that does not use conductive screw shell threads to make electrical contact with the lamp screw base. Electrical contact with the lamp screw base is made with one or more separate contacts in the side wall of the lamp base cavity or a contact in the bottom of the lamp base cavity, such as ring contact. The lampholder also employs a center contact.

2.32 LIGHTING STRING – A factory-assembled series, series-parallel, or parallel string of replaceable lamps consisting of an attachment plug or current tap, lampholders, lamps, wire, and overcurrent protection. A lighting string optionally may be provided with a load fitting (cord connector), a controller, or both. A lighting string is intended to be draped over or around an object to provide a decorative effect. A lighting string may also be a factory-assembled series- or series-parallel string consisting of non-replaceable lamps without shunts, an attachment plug, wire, and overcurrent protection. See [28.1](#) and [29.1](#).

2.33 LIGHTING STRING, PARALLEL-CONNECTED – A lighting string employing either candelabra- or intermediate-screw lampholders connected in parallel across the line and neutral blades of the attachment plug or current tap.

2.34 LIGHTING STRING, SERIES-CONNECTED – A lighting string employing push-in, midget-screw, or miniature-screw lampholders or non-replaceable lamps connected in series with each other. The series-connected assembly is connected across the line and neutral by means of an attachment plug or current tap. Lighting strings configured in the shape of a net (see Exception No. 2 to [13.2.4](#)), as icicles, or other configurations, are series-connected lighting strings. LED lighting strings that employ lamps with covers that are not removable are also considered as lighting strings.

2.35 LIGHTING STRING, SERIES-PARALLEL-CONNECTED – A lighting string consisting of two or more series-connected strings of lampholders or non-replaceable lamps connected in parallel to each other and across the line and neutral by means of an attachment plug or current tap.

2.36 LIGHT SCULPTURE – A polymeric or coated metallic rigid or flexible frame to which lampholders and lamps are attached. The lamps provide outline illumination of the figure or object created by the frame.

2.37 LIVE PART – A current-carrying component other than a Class 2 circuit.

2.38 LOAD FITTING – A female contact device, such as a cord connector or dedicated receptacle, which is part of a lighting string or decorative outfit and is intended for connection to an attachment plug.

2.39 ORNAMENT – A unit provided with a lampholder adapter or input leads and an adapter intended to take the place of a push-in lamp in a series-connected lighting string or decorative outfit. An ornament may be electronically- or non-electronically-operated.

2.40 ORNAMENT, ELECTRONICALLY-OPERATED – An ornament which employs a motor, a printed wiring assembly, electronic components, or similar item. This type of ornament may produce sound, be illuminated, animated, or similar effect, or a combination of the above.

2.41 ORNAMENT, NON-ELECTRONICALLY-OPERATED – An ornament provided with a wiring assembly consisting of only a lamp and lampholder, or of more than a single lamp connected in series or parallel, on one end and an adapter on the other end. This type of ornament is illuminated only.

2.42 POWER INLET (MOTOR ATTACHMENT PLUG) – A male contact device to be mounted on the product to provide an integral blade configuration for the connection of a cord connector. See [Figure 2.1](#).

2.43 RECEPTACLE, DEDICATED – A receptacle that is intended for connection to the attachment plug or current tap of a specific product such as a decorative-lighting string or a decorative outfit and which is not for general use.

2.44 SEASONAL (HOLIDAY) PRODUCT – A product painted in colors to suggest a holiday theme or a snow covering, a figure in a holiday costume, or any decoration associated with a holiday or particular season of the year.

2.45 SHUNT, LAMP – A device used in series-connected lamps to provide a current path when the filament of a lamp opens so that the remaining lamps in the series-connected string or decorative outfit remain illuminated. A shunt typically consists of several turns of aluminum wire wound around the pair of filament support posts. The aluminum oxide coating on the wire acts as an insulator, allowing current to normally flow through the filament. When the filament of the lamp opens, a high voltage (approximately 120 V) is present across the support posts causing the oxide coating of the shunt to break down. The shunt then becomes electrically connected to the support posts and allows current to continue to flow through the shunt despite the open filament.

2.46 **TERMINAL, INSULATION-PIERCING** – A terminal having a contact pin that punctures the conductor insulation and penetrates between the conductor strands. This does not include an insulation-displacement terminal which has a contacting member that forces the conductor insulation aside and presses against the side of the conductor to make contact.

2.47 **TREE POLE, ELECTRIC** – A unit that is designed to provide electrical power to a Christmas tree or equivalent either directly to integral lighting strings or through load fittings (cord connector) of a standard or non-standard configuration, with or without a through-cord switch.

2.48 **WIRING DEVICE** – A device which is wired on flexible cord for temporary connection of the cord to a receptacle, cord connector, or other outlet device, to make a detachable electrical connection to an attachment plug, to provide multiple outlet configurations, or similar connection. An attachment plug, current tap, cord connector, and load fitting are examples of a wiring device.

3 Components

3.1 Except as indicated in [3.2](#), a component of a product covered by this standard shall comply with the requirements for that component. See Appendix [A](#) for a list of standards covering components generally used in the products covered by this standard.

3.2 A component is not required to comply with a specific requirement that:

- a) Involves a feature or characteristic not required in the application of the component in the product covered by this standard, or
- b) Is superseded by a requirement in this standard.

3.3 A component shall be used in accordance with its rating established for the intended conditions of use.

3.4 Specific components are incomplete in construction features or restricted in performance capabilities. Such components are intended for use only under limited conditions, such as certain temperatures not exceeding specified limits, and shall be used only under those specific conditions.

4 Units of Measurement

4.1 Values stated without parentheses are the requirement. Values in parentheses are explanatory or approximate information.

5 References

5.1 Any undated reference to a code or standard appearing in the requirements of this standard shall be interpreted as referring to the latest edition of that code or standard.

CONSTRUCTION

ALL PRODUCTS

6 General

6.1 If a product employs a component or another product as part of its construction, each part of the product shall comply with its applicable construction requirements. For example, if a series-connected string employs a controller, construction requirements for a series-connected string, controller, cord-connected wiring device, and series-connected lampholder and lamp shall all be applied.

6.2 The wire type and overcurrent protection requirements for a seasonal lighting product are summarized in [Table 6.1](#) and [Table 6.2](#).

Table 6.1
Wire types and overcurrent protection ratings for series-connected seasonal lighting products

| | Non-polarized fittings | | Polarized fittings | |
|---|---|---|--|---|
| | With load fitting | Without load fitting | With load fitting | Without load fitting |
| Minimum wire size, AWG (mm ²) | 22 (0.32) ^a | 22 (0.32) ^a | 20 (0.52) ^a | 22 (0.32) ^a |
| Wire type | CXTW, XTW ^a | CXTW, XTW ^a | CXTW, XTW ^a | CXTW, XTW ^a |
| Minimum wire temperature | 105°C | 105°C | 105°C | 105°C |
| Maximum current rating, Amperes | 0.6 | 0.6 | 0.6 | 1.8 |
| Total maximum wattage of strings allowed to be connected together, end-to-end | 216 Watts | – | 432 Watts | – |
| Fuse rating, Amperes | 3 | 3 | 5 | 3 |
| Fuse location | Grounded and ungrounded conductor | Grounded and ungrounded conductor | Ungrounded conductor (hot) | Ungrounded conductor (hot) |
| On/Off switch and type (if located in other than a Class 2 circuit) | Double-pole in both conductors | Double-pole in both conductors | Single-pole ungrounded conductor (hot) | Single-pole ungrounded conductor (hot) |
| See Figure | Figure 7.4 , Figure 7.6 , Figure 7.16 | Figure 7.3 , Figure 7.7 , Figure 7.13 | Figure 7.6 , Figure 7.10 , Figure 7.16 | Figure 7.5 , Figure 7.9 , Figure 7.14 |

^a A motorized product shall employ minimum 20 AWG Type SPT-2 wire for the supply connections. See [Figure 7.11](#) – [Figure 7.16](#).

Table 6.2
Wire types and overcurrent protection ratings for parallel-connected seasonal lighting products^c

| | With load fitting | | Without load fitting | |
|---|--|---|--|---|
| | With load fitting | Without load fitting | With load fitting | Without load fitting |
| Minimum wire size, AWG (mm ²) | 20 (0.52) ^a | 18 (0.82) ^b | 20 (0.52) ^a | 18 (0.82) ^b |
| Wire type | XTW | SPT-1, SP-2, SPT-2, S, ST, SE, SO, SOO, SJ, SJT, SJE, SJO, SJOO | XTW | SPT-1, SP-2, SPT-2, S, ST, SE, SO, SOO, SJ, SJT, SJE, SJO, SJOO |
| Minimum wire temperature | 105°C | | 105°C | |
| Fuse location | Ungrounded conductor (hot) | | Ungrounded conductor (hot) | |
| On/Off switch and type (if located in other than a Class 2 circuit) | Single-pole ungrounded conductor (hot) | | Single-pole ungrounded conductor (hot) | |
| See Figure | Figure 7.2 , Figure 7.12 | | Figure 7.1 , Figure 7.11 | |

^a A motorized product shall employ minimum 20 AWG Type SPT-2 wire for the supply connections. (See [Figure 7.11](#) – [Figure 7.16](#)).

^b The wire Type for products intended for outdoor use shall be SPT-1W, SP-2W, SPT-2W, STW, SEW, SOW, SOOW, SJTW, SJEW, SJOW, or SJOOW.

^c For current rating and overcurrent protection refer to [Table 13.1](#).

7 Overcurrent Protection

7.1 A product covered by this standard shall be provided with integral overcurrent protection which complies with the Standard for Low-Voltage Fuses – Part 1: General Requirements, UL 248-1, and the

Standard for Low-Voltage Fuses – Part 14: Supplemental Fuses, UL 248-14. Refer to [Table 13.1](#) for overcurrent protection ratings for each wire size.

Exception No. 1: An ornament need not be provided with integral overcurrent protection.

Exception No. 2: A product employing a direct plug-in or a through cord power supply provided with a minimum 18 AWG input cord in accordance with Section [18](#), Class 2 Circuits, need not be provided with integral overcurrent protection.

Exception No. 3: Direct plug-in products provided with a maximum of three load fittings with no external wiring need not be provided with overcurrent protection, provided that the product is capable of carrying 15A of current.

7.2 A product employing a power inlet intended for use with a cord set or a detachable power-supply cord shall be provided with fusing in accordance with this Section:

- a) In the power inlet or adjacent to the point of connection to the power-supply source provided by the product, and
- b) In the detachable power-supply cord if provided.

7.3 The overcurrent protection shall be either an integral part of the attachment plug or current tap, or of a through-cord design (in-line fuseholder) located so that there is not more than 6 inches (152 mm) between the face of the attachment plug or current tap and the side of the fuseholder furthest from the attachment plug or current tap. If a through-cord design is employed, a minimum 20 AWG (0.52 mm²) wire shall be used between the attachment plug or current tap and the fuseholder.

Exception No. 1: A product employing minimum 16 AWG (1.31 mm²) flexible cord is permitted to have the overcurrent protection located inside the enclosure.

Exception No. 2: A product that is not provided with a load fitting is permitted to have the overcurrent protection located inside the enclosure provided that the fuse is the first electrically connected item in the circuit after entrance into the enclosure, and is before any other electrical components in the product.

7.4 The rating of the overcurrent protection shall be as indicated in [Table 6.1](#) or [Table 6.2](#).

Figure 7.1

Parallel-connected string with a polarized line fitting and without a load fitting
(See note 1)




Figure 7.2

Parallel-connected string with a polarized line and load fitting
(See note 1)




Figure 7.3

Series-connected string with a non-polarized line fitting and without a load fitting
(See note 1)




Figure 7.4

Series-connected string with a non-polarized line and load fitting
(See notes 1, 2, 3)




Figure 7.5
Series-connected string with a polarized line fitting and without a load fitting
(See note 1)




Figure 7.6
Series-connected string with a polarized line and load fitting
(See note 1)




Figure 7.7

Series-parallel-connected string with a non-polarized line fitting and without a load fitting
(See notes 1, 2, 3)





Figure 7.8

Series-parallel-connected string with a non-polarized line and load fitting
(See notes 1, 2, 3)




S3082B

ULNORM.COM : Click to view the full PDF of UL 588 0923

Figure 7.9


Series-parallel-connected string with a polarized line fitting and without a load fitting
(See note 1)



S3083B

ULNORM.COM : Click to view the full PDF of UL 588 2023

Figure 7.10
Series-parallel-connected string with a polarized line and load fitting
(See note 1)



ULNORM.COM : Click to view the full PDF of UL 588 (2023)

Figure 7.11

Decorative outfit or tree stand without a load fitting
Decorative lighting harness or parallel-connected string
(See notes 1, 4)




Figure 7.12
Decorative outfit or tree stand with a load fitting
Parallel-connected string
(See notes 1, 4)





Figure 7.13

Decorative outfit or tree stand with a non-polarized line fitting without a load fitting
Series-connected string
(See notes 1, 4, 5)



Decorative Outfit
or Tree Stand

SM507B

ULNORM.COM : Click to view the full PDF of UL 588 2023

Figure 7.14

Decorative outfit or tree stand with a polarized line fitting and without a load fitting
Series-connected string
(See notes 1, 4, 5)




Figure 7.15

Decorative outfit or tree stand with a non-polarized line and load fitting
Series-connected string
(See notes 1, 2, 3, 4, 6)






Figure 7.16

Decorative outfit or tree stand with a polarized line and load fitting
Series-connected string
 (See notes 1, 2, 3, 4, 6)




Notes 1 – 6 for [Figure 7.1](#) to [Figure 7.16](#), applicable as indicated in each figure:

1. Represents overcurrent protection provided in accordance with this section.
2. If all wire is the same gauge size, fuse A1 or both fuses A1 and A2 may serve to protect the entire assembly.
3. If wire of varying gauge size is used, fuses B1 and B2 or C1 and C2 shall be provided and rated in accordance with [Table 6.1](#) and [Table 6.2](#).
4. This figure represents a decorative outfit or tree stand that may employ a motor.
5. See [Figure 7.7](#) for series-parallel combination without load fitting.
6. See [Figure 7.8](#) for series-parallel combination with load fitting.
7. The following is a key for [Figure 7.1](#) – [Figure 7.16](#):



Non-polarized
Line Fitting




Lamp or Load



Polarized
Line Fitting




Used to Indicate Extended
Length or Repetition
of Like Construction



Non-polarized
Load Fitting



Overcurrent Protection



Polarized
Load Fitting

7.5 A product provided with a polarized line fitting shall employ one fuse which shall be connected to the ungrounded (narrow) blade of the attachment plug or current tap, and be replaceable.

Exception No. 1: Fuses provided with a series- or series-parallel lighting string provided with a polarized line fitting need not be replaceable.

Exception No. 2: A product that is not provided with a load fitting and with the overcurrent protection located inside the enclosure as described in [7.3](#), the overcurrent protection is permitted to be non-replaceable.

7.6 A product employing a replaceable fuse shall be provided with at least one spare fuse.

Exception: A decorative outfit without a load fitting need not be provided with a spare fuse if it does not employ:

- a) A series-connected string as described in [28.1](#), or*
- b) A parallel-connected string as described in [29.1](#).*

7.7 A product provided with a non-polarized line fitting shall employ two fuses, one connected to each conductor, which are not required to be replaceable.

Exception: A product that is not provided with a load fitting and with the overcurrent protection located inside the enclosure as described in [7.3](#), the overcurrent protection is permitted to be non-replaceable.

7.8 The supplementary protection used for the midget push-in series- or series-parallel connected lighting string employing self-shorting lampholder contacts shall be of the non-automatically re-settable type, and if provided in a lamp, shall be nonreplaceable and not be provided with a shunt. It may be in a glass lamp or otherwise suitably enclosed in a material that complies with Section [10](#), Enclosures. The protector shall comply with Calibration Test, Section [65](#), Fault Current Test, Section [66](#) and if provided in a lamp, the Cascading Lamp Temperature Test, Section [85](#).

Exception: It is acceptable to replace the supplementary protection provided in the lamp when it meets the following criteria:

- a) The lighting string is constructed such that the fused lamp cannot be replaced by another push-in lamp,*
- b) The lampholder is constructed such that the steady illuminating lamps cannot fit into the lampholder such that it makes an electrical connection with the lampholder intended for the fused lamp,*
- c) The fused lamp is permanently secured to the lamp adapter without relying on adhesive,*
- d) The lamp adapters are additionally secured to the lamp by an adhesive that complies with the requirements outlined in the Adhesive Test, Section [63](#),*
- e) The fused lamp and mating lampholders are uniquely identified, or otherwise coded to insure proper fused lamp replacement,*
- f) The additional user servicing instructions described in [131.9](#) are provided.*

8 Materials

8.1 A shade, diffuser, or decorative part employed in a seasonal lighting product shall be constructed of a material with a maximum vertical downward burning rate of 4 inches (102 mm) per minute as determined by the Downward Burning Rate Test, Section [50](#).

8.2 Simulated needles, leaves, small twigs, and other loose decorative parts shall be constructed of insulating material, as determined by compliance with the Conductivity of Decorative Parts Test, Section [51](#), if they are:

- a) Located within 2 inches (51 mm) of a lampholder employed in a seasonal product, or
- b) Employed in a seasonal product to which one or more lighting strings may be attached.

8.3 A polymeric material used to provide all or any part of an enclosure employed in a seasonal lighting product shall comply with the requirements for Enclosures, Section [10](#).

8.4 No edge, point, or burrs of an uninsulated live part shall contact the insulation of the wire or the insulation of the conductor of a cord that is connected at opposite polarity.

8.5 Insulation on which current-carrying parts are mounted shall be of cold-molded or phenolic composition or of an equivalent insulating material.

8.6 Hard fiber is acceptable for insulating bushings, washers, separators, and barriers, but not for the sole support of live parts.

9 Mechanical Assembly

9.1 A splice, a non-enclosed motor, a printed wiring board, a switch without enclosed terminals, and any wiring shall be located in an enclosure which complies with the requirements in Enclosures, Section [10](#).

Exception: Type CXTW, parallel conductor XTW, SPT-1, SPT-2, SJ, SJT, S, and ST wire of the minimum gauge specified in Supply Connections, Section [13](#), need not be enclosed.

9.2 A controller, splice compartment, direct plug-in unit, or electronically-operated ornament shall employ an enclosure which complies with the requirements in Enclosures, Section [10](#).

9.3 A seasonal lighting product or accessory shall have all parts reliably secured in place.

9.4 An adhesive used to secure parts of the enclosure of a product shall comply with the Standard for Polymeric Materials – Use in Electrical Equipment Evaluations, UL 746C, and the Adhesive Test, Section [63](#).

Exception: An adhesive used to secure parts of the enclosure of an ornament need comply only with the Adhesive Test, Section [63](#).

9.5 If a seasonal lighting product or component employs an enclosure, the unit shall be constructed such that it is not necessary to open or remove the enclosure when the unit is used as intended. If the enclosure is held together by screws, then commonly removable fasteners, such as flathead or cross recessed, square recessed, or star recessed head screws or a combination thereof, or a standard bolt pattern, shall not be used unless the screws are covered by an insulating material determined suitable for the application.