



UL 60947-7-2

STANDARD FOR SAFETY

Low-Voltage Switchgear and
Controlgear – Part 7-2: Ancillary
Equipment – Protective Conductor
Terminal Blocks for Copper Conductors

ULNORM.COM : Click to view the full PDF of UL 60947-7-2 2021

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 60947-1-2 2021

UL Standard for Safety for Low-Voltage Switchgear and Controlgear – Part 7-2: Ancillary Equipment – Protective Conductor Terminal Blocks for Copper Conductors, UL 60947-7-2

Fourth Edition, Dated January 27, 2017

Summary of Topics

This revision of ANSI/UL 60947-7-2 dated April 16, 2021 is being issued to update the title page to reflect the most recent designation as a Reaffirmed American National Standard (ANS). No technical changes have been made.

As noted in the Commitment for Amendments statement located on the back side of the title page, CSA Group, ANCE and UL are committed to updating this harmonized standard jointly. However, the revision pages dated April 16, 2021 will not be jointly issued by UL, CSA, and ANCE as these revision pages only address UL ANSI approval dates.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The requirements are substantially in accordance with Proposal(s) on this subject dated February 12, 2021.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 60947-7-2 2021



Association of Standardization and Certification
NMX-J-538/7-2-ANCE
First Edition



CSA Group
CAN/CSA-C22.2 No. 60947-7-2:17
First Edition
(IEC 60947-7-2:2002, MOD)



Underwriters Laboratories Inc.
UL 60947-7-2
Fourth Edition

Low-Voltage Switchgear and Controlgear – Part 7-2: Ancillary Equipment – Protective Conductor Terminal Blocks for Copper Conductors

January 27, 2017

(Title Page Reprinted: April 16, 2021)

This national standard is based on publication IEC 60947-7-2, second edition (2002).



ANSI/UL 60947-7-2-2017 (R2021)



Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

Copyright © 2011 ANCE

Rights reserved in favor of ANCE.

ISBN 978-1-4883-0020-2 © 2017 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. The technical content of the IEC and ISO publications is kept under constant review by IEC and ISO. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2021 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Fourth Edition including revisions through April 16, 2021. The most recent designation of ANSI/UL 60947-7-2 as a Reaffirmed American National Standard (ANS) occurred on March 31, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

CONTENTS

Preface	5
NATIONAL DIFFERENCES	9
FOREWORD	11
1 General	13
1.1 Scope	13
1.1DV.1 Modification of Clause 1.1:	13
1.1DV.2 Modification by adding the following:	13
1.1DV.3 Modification by adding the following:	13
1.1DV.4 Modification by adding the following:	14
1.1DV.5 Modification by adding the following:	14
1.2 Normative references	14
1.2DV Modification by adding the following	14
2 Definitions	15
2.2DV Modification by adding the following:	15
2.3DV Delete Clause 2.3:	15
3 Classification	15
3DV.1 Modification by adding the following dashed item to the list:	15
3DV.2 Modification by replacing the seventh dashed item in the list with the following:	16
3DV.3 Modification by adding the following:	16
4 Characteristics	16
4.1 Summary of characteristics	16
4.2 Type of protective conductor terminal block	16
4.3 Rated and limiting values	16
5 Product information	17
5.1 Marking	17
5.1DV Add the following to Clause 5.1:	18
Figure 6DV Addition of the following figure:	18
5.2 Additional information	18
5.2DV.1 Deletion of item a).	18
5.2DV.2 Modification by replacing item c) with the following:	18
5.2DV.3 Modification by replacing the Note with the following:	19
5.2DV.4 Modification by adding the following:	19
6 Normal service, mounting and transport conditions	19
7 Constructional and performance requirements	19
7.1 Constructional and performance requirements	19
7.2 Performance requirements	21
7.3 Electromagnetic compatibility (EMC)	22
8 Tests	22
8.1 Kinds of test	22
8.2 General	22
Table 8.2DV Addition of the following table:	22
8.3 Verification of mechanical characteristics	23
8.4 Verification of electrical characteristics	24
8.5 Verification of thermal characteristics	31
8.6 Verification of EMC characteristics	31
8.7DV Addition of the following subclause:	31

Annex A (normative) Maximum short-time withstand currents allocated to the rail profile and thermal rated current of a PEN busbar